

# Fields of Innovation 2021

Event

Powered by Syngenta  
Vegetable Seeds

Thank you  
for visiting  
and enjoy your  
Field Book!

**syngenta**<sup>®</sup>

# Content of your Field Book

Almagro

Andromeda SGC2074

Guideline

Spacestar Gold SGC2142

Padme SGC2820



# Cauliflower



Variety  
video



## Almagro

- Leading variety for summer continental growing conditions in North-East Europe
- Medium maturity - 75-80 growing days
- For fresh market, harvest extension for Lecanu
- Strong plants and white curd colour
- Very good self-protection

Variety	Segment	Resistances
Almagro	Medium Fresh	

**For more information and specific details,  
please contact your local Technical Sales Representative.**

Syngenta Seeds Vegetables has exercised reasonable care and skill in compiling this brochure. All resistances quoted refer only to strains of races or pathotypes indicated on the varieties. Other pathogen races or pest biotypes capable of overcoming the resistance may exist or emerge. The Syngenta resistance against Club Root is effective against the predominant races Pb:0 and Pb:1 and against the less frequent race Pb:3 but not against the infrequent race Pb:2 that may occur in some fields. Genetic resistance is only one of the tools to manage Club Root. Culture measures such as liming, use of fertilizers with high percentage of calcium, proper drainage, good crop hygiene management are several of important components of an integrated approach to manage the disease. Syngenta Seeds Vegetables uses established analytical methods to verify specific variety resistances. However, host specificity of pests or pathogens may vary depending on environmental factors. In order to maximize the efficiency of a resistance, it is highly recommended to combine different ways of control such as growing conditions, plant protection products and genetic resistance as part of an integrated crop management. All data in this brochure are intended for general guidance only and the user should apply it in accordance with his own knowledge and experience of local conditions. In case of doubt we recommend that a small scale trial production be carried out to determine how local conditions may affect the variety.

Syngenta Seeds Vegetables cannot accept any liability in connection with this brochure.

[syngentavegetables.com](http://syngentavegetables.com)



#fieldsofinnovation

Powered by  
Syngenta Vegetable Seeds

# Cauliflower



Variety  
video



## Andromeda SGC2074

- Medium maturity variety 70-75 growing days
- Keeps white colour even when no self protection
- No need to cover the curds, labour saving for the grower
- Suitable for different growing conditions in EAME region

Variety	Segment	Resistances
Andromeda SGC2074	New White	

**For more information and specific details,  
please contact your local Technical Sales Representative.**

Syngenta Seeds Vegetables has exercised reasonable care and skill in compiling this brochure. All resistances quoted refer only to strains of races or pathotypes indicated on the varieties. Other pathogen races or pest biotypes capable of overcoming the resistance may exist or emerge. The Syngenta resistance against Club Root is effective against the predominant races Pb:0 and Pb:1 and against the less frequent race Pb:3 but not against the infrequent race Pb:2 that may occur in some fields. Genetic resistance is only one of the tools to manage Club Root. Culture measures such as liming, use of fertilizers with high percentage of calcium, proper drainage, good crop hygiene management are several of important components of an integrated approach to manage the disease. Syngenta Seeds Vegetables uses established analytical methods to verify specific variety resistances. However, host specificity of pests or pathogens may vary depending on environmental factors. In order to maximize the efficiency of a resistance, it is highly recommended to combine different ways of control such as growing conditions, plant protection products and genetic resistance as part of an integrated crop management. All data in this brochure are intended for general guidance only and the user should apply it in accordance with his own knowledge and experience of local conditions. In case of doubt we recommend that a small scale trial production be carried out to determine how local conditions may affect the variety.

Syngenta Seeds Vegetables cannot accept any liability in connection with this brochure.

[syngentavegetables.com](http://syngentavegetables.com)



#fieldsofinnovation

**syngenta**<sup>®</sup>

# Cauliflower



Variety  
video



## Guideline

- Winner Central and West Europe
- Medium cycle variety
- 70-75 growing days with perfect curd setting in summer
- Very reliable in growing days
- Very good curd quality
- For the whole season production in North Europe

Variety	Segment	Resistances
Guideline	Medium Fresh	

**For more information and specific details,  
please contact your local Technical Sales Representative.**

Syngenta Seeds Vegetables has exercised reasonable care and skill in compiling this brochure. All resistances quoted refer only to strains of races or pathotypes indicated on the varieties. Other pathogen races or pest biotypes capable of overcoming the resistance may exist or emerge. The Syngenta resistance against Club Root is effective against the predominant races Pb:0 and Pb:1 and against the less frequent race Pb:3 but not against the infrequent race Pb:2 that may occur in some fields. Genetic resistance is only one of the tools to manage Club Root. Culture measures such as liming, use of fertilizers with high percentage of calcium, proper drainage, good crop hygiene management are several of important components of an integrated approach to manage the disease. Syngenta Seeds Vegetables uses established analytical methods to verify specific variety resistances. However, host specificity of pests or pathogens may vary depending on environmental factors. In order to maximize the efficiency of a resistance, it is highly recommended to combine different ways of control such as growing conditions, plant protection products and genetic resistance as part of an integrated crop management. All data in this brochure are intended for general guidance only and the user should apply it in accordance with his own knowledge and experience of local conditions. In case of doubt we recommend that a small scale trial production be carried out to determine how local conditions may affect the variety.

Syngenta Seeds Vegetables cannot accept any liability in connection with this brochure.

[syngentavegetables.com](http://syngentavegetables.com)



#fieldsofinnovation

Powered by  
Syngenta Vegetable Seeds

# Cauliflower



## Spacestar Gold SGC2142

- Medium cycle variety for continental climate
- Successor of Spacestar
- 70-75 days growing days
- Strong plant vigour
- Nice curd quality
- For summer and autumn production

Variety	Segment	Resistances
Spacestar Gold SGC2142	Medium Fresh	

**For more information and specific details,  
please contact your local Technical Sales Representative.**

Syngenta Seeds Vegetables has exercised reasonable care and skill in compiling this brochure. All resistances quoted refer only to strains of races or pathotypes indicated on the varieties. Other pathogen races or pest biotypes capable of overcoming the resistance may exist or emerge. The Syngenta resistance against Club Root is effective against the predominant races Pb:0 and Pb:1 and against the less frequent race Pb:3 but not against the infrequent race Pb:2 that may occur in some fields. Genetic resistance is only one of the tools to manage Club Root. Culture measures such as liming, use of fertilizers with high percentage of calcium, proper drainage, good crop hygiene management are several of important components of an integrated approach to manage the disease. Syngenta Seeds Vegetables uses established analytical methods to verify specific variety resistances. However, host specificity of pests or pathogens may vary depending on environmental factors. In order to maximize the efficiency of a resistance, it is highly recommended to combine different ways of control such as growing conditions, plant protection products and genetic resistance as part of an integrated crop management. All data in this brochure are intended for general guidance only and the user should apply it in accordance with his own knowledge and experience of local conditions. In case of doubt we recommend that a small scale trial production be carried out to determine how local conditions may affect the variety.

Syngenta Seeds Vegetables cannot accept any liability in connection with this brochure.

[syngentavegetables.com](http://syngentavegetables.com)



#fieldsofinnovation

**syngenta**<sup>®</sup>

# Cauliflower



## Padme SGC2820

- Mid cycle autumn variety for South Europe and summer period in Africa, Middle East
- Very good curd quality in hot conditions
- Strong plant vigour
- Perfect self-protection
- For fresh market

Variety	Segment	Resistances
Padme SGC2820	Medium Fresh	

**For more information and specific details,  
please contact your local Technical Sales Representative.**


Syngenta Seeds Vegetables has exercised reasonable care and skill in compiling this brochure. All resistances quoted refer only to strains of races or pathotypes indicated on the varieties. Other pathogen races or pest biotypes capable of overcoming the resistance may exist or emerge. The Syngenta resistance against Club Root is effective against the predominant races Pb:0 and Pb:1 and against the less frequent race Pb:3 but not against the infrequent race Pb:2 that may occur in some fields. Genetic resistance is only one of the tools to manage Club Root. Culture measures such as liming, use of fertilizers with high percentage of calcium, proper drainage, good crop hygiene management are several of important components of an integrated approach to manage the disease. Syngenta Seeds Vegetables uses established analytical methods to verify specific variety resistances. However, host specificity of pests or pathogens may vary depending on environmental factors. In order to maximize the efficiency of a resistance, it is highly recommended to combine different ways of control such as growing conditions, plant protection products and genetic resistance as part of an integrated crop management. All data in this brochure are intended for general guidance only and the user should apply it in accordance with his own knowledge and experience of local conditions. In case of doubt we recommend that a small scale trial production be carried out to determine how local conditions may affect the variety.

Syngenta Seeds Vegetables cannot accept any liability in connection with this brochure.

[syngentavegetables.com](http://syngentavegetables.com)



#fieldsofinnovation



**You can always  
visit us again  
anytime you want**

**[foi.syngentavegetables.com](http://foi.syngentavegetables.com)**

**syngenta®**